								4	
						Hitle	Current OR	Current AMer	Classif
	1	1	Document ID	Issue Date	Pages				
	\			2000		Shielded boat hull of composite material with sealed cover or the like and	114/117	114/201R	
		☒	US 6205943 B1	7201107		method of fastening the sealing		427/409	
		Ø	US 6203855 B1	20010320	12	for preparing nonbleeding ated carbon and zinc oxide	427/385.5	; 427/413 ; 427/421 ; 427/428 ; 427/435	
1]					layer for bias charaina member		156/289	
	<u> </u>	Σ	11c 6179951 B1	20010130	10	Method of protecting a now practice using compressive pads and	156/285	; 156/323 ; 156/580	
η						annaratus_thereo.f		429/120	
1	+		KJ 115 6120930 A	20000919	28	Rechargeable thin-film electrochemical generator	429/66	; 429/153 ; 429/162	
4	⊠ 	************				m	439/412	439/417	
2	Ø	Ø	J US 6093050 A	20000725	36	Terecommunities			
	 					Variable high-current resistor, especially for use as protective element	338/20	338/21 ; 338/47	
9		⊠ ⊠	Q US 5644283 A	19970701	17	in power switching applications & circuit making use of high-current			
						resistor			
_	_								

\vdash	Type	#	Hits	Search Text	DBs	Time Stamp Comments	ents Error Definition	SI I
<u> </u>	BRS	17	4	Psecm	D . H	2001/03/27 17:36		0
	BRS	L2	4	Ll and spring	5 · C	2001/03/27 17:40		0
т	BRS	L4	N	(spring adj element) and elastomeric and (conduct\$ adj member)	5. 6	2001/03/27 17:42	Truncation Overflow Return string from Server is: 5`1231587	w.
4	BRS	Г.3	. 15	(spring adj element) and elastomeric and (conductive adj particles)	- n. E.	2001/03/27 17:55		0
2	BRS	Ге	7	L5 and (spring adj element)	D E	2001/03/27 18:02		0
9	BRS	L5	370	spring with((elas\$ or flex\$ or poly\$ or stretch\$) near conduc\$)	7. 5	2001/03/27 18:19	Truncation Overflow. Return string from Server is: 5'1231587	. س
	BRS	LJ	81	L5 and (chip or die\$ or semi\$)	n · · L	2001/03/27	Truncation Overflow. Return string from Server is: 5`338662`	ow. 1
ω	BRS	д 83	89	361/787.ccls.	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/03/27 18:35		0

 $L_{\pmb{\psi}}^{\bullet}$

	Type	#	Hits	Search Text	DBs	Time Stamp Co	Comments	Error Definition	Erro
	BRS	1	44	L8 and spring	D . F	2001/03/27 18:30			0
0	BRS	L10	7	L8 and elast\$	D F	2001/03/27 18:30		Truncation Overflow. Return string from Server is: 5'0'0'ELA	
-	BRS	L11	2	L8 and elastomeric	D. F	2001/03/27 18:31			0
[2	BRS	1.12	200	438/18.ccls.	USPAT; US-PGPU B; EPO; JPO; DENO; IBM	2001/03/27 18:35			0
13	BRS	L13	10	L12 and spring	¬ =	2001/03/27 18:35			0
14	BRS	114	23	L12 and (spring or connector)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM	2001/03/27			0
15	BRS	115	20	257/48.ccls. and (spring or connector)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/03/27 18:51			0
16	5 BRS	L16	2	L15 and elastomeric and conduct\$	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	:		Truncation Overflow. Return string from Server is: 5 124452	
17	7 BRS	L17	-	"4899107".PN.	USPAT	2001/03/2/ 18:48 .			0

 t_{γ}

03/27/2001, EAST Version: 1.02.0008

\vdash	Туре	#	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	rs
18	BRS	L18	-1	"5006792".PN.	USPAT	2001/03/27 18:49			0
_	BRS	L19		"5037117".PN.		2001/03/27 18:49			0
	BRS	120	42	361/769.ccls. and (spring or connector)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM	2001/03/27 18:51			0
21	BRS	L21	ഹ	120 and elastomeric and conduct\$	5. 6	2001/03/27 18:59		Truncation Overflow. Return string from Server is: 5'124452`	П
22	BRS	1.22	8	361/691.ccls. and elastomeric and conduct\$		2001/03/27 19:00		Truncation Overflow. Return string from Server is: 5.68'68'3	1
23	BRS	L23	0	361/667.ccls. and elastomeric and conduct\$	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM	2001/03/27 19:01		Truncation Overflow. Return string from Server is: 5'31'31'3	П
24	IS&R	L24		("4778950").PN.	USPAT	2001/03/27 19:00			0
25	BRS	L25	0	361/666.ccls. and elastomeric and conduct\$	1			Truncation Overflow. Return string from Server is: 5'35'35'3	, rud
26	BRS	L26	0	361/657.ccls. and elastomeric and conducts		2001/03/27 19:01		Truncation Overflow. Return string from Server is: 5'38'38'3	П
27	BRS	L27	0	361/640.ccls. and elastomeric and conducts	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/03/27 19:02		Truncation Overflow. Return string from Server is: 5'57'57'3	ert

14

	Type	# 1	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	1 H
	BRS	1.28	o	361/640.ccls. and spring		2001/03/27 19:01			0
<u> </u>	BRS	L29	0	361/636.ccls. and elastomeric and conduct\$	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/03/27 19:02		Truncation Overflow. Return string from Server is: 5`77`77`3	prod
	BRS	L30	1	257/459.ccls. and elastomeric and conduct\$	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM	2001/03/27 19:03		Truncation Overflow. Return string from Server is: 5`558`558	г
	BRS	L31	0	257/751.ccls. and elastomeric and conduct\$	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM	2001/03/27		Truncation Overflow. Return string from Server is: 5'706'706	, - 1
	BRS	L32	14	257/718.ccls. and elastomeric and conduct\$		2001/03/27 19:07		Truncation Overflow. Return string from Server is: 5'874'874	
	BRS	L33	0	324/755.cclsc	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM	2001/03/27 19:08			0
	BRS	L34	343	324/755.ccls.	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM	2001/03/27 19:08			0
	BRS	135	190	L34 and spring	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/03/27 19:08			0

							-
_	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	n su
	0	L34 and (spring adj element)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM	USPAT; US-PGPU B; EPO; 2001/03/27 JPO; 19:09 DERWENT ; IBM			0

<u> </u>	Type	# 1	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	rs o
Ť	BRS	1.1	-	"4169642".PN.	USPAT	2001/03/27 15:41			0
	BRS	1.2	1	"4597617".PN.		2001/03/27 15:41			0
8	BRS	L3	8824	spring same (conduct\$ or metal)same elast\$	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM	2001/03/27 15:48		Truncation Overflow. Return string from Server is: 5'1231587	Н
4	BRS	L4	0	spring near ((conduct\$ or metal) adj particles)near elast\$	⊃ <u>.</u> ⊢	2001/03/27 15:51		Truncation Overflow. Return string from Server is: 5`1231587	П
S.	BRS	1.5	9	spring same((conduct\$ or metal) adj particles)same elast\$	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM	2001/03/27 16:02		Truncation Overflow. Return string from Server is: 5`1231587	П
9	BRS	L6	437	spring and((conduct\$ or metal) adj particles)and elast\$	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM	2001/03/27 16:39		Truncation Overflow. Return string from Server is: 5`1231587	1
7	BRS	7.7	19	L6 and (spring adj element)	D H	2001/03/27 17:01			0
8	IS&R	L8	0	("50231a2").PN.	USPAT; EPO; DERWENT	2001/03/27 17:02			0
6	IS&R	О		("0050231").PN.	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM	2001/03/27 17:02			0
10	IS&R	L10	0	("50231A2").PN.	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM	2001/03/27 17:02			0

A in

#	_	Hits	Search Text	DBs	Time Stamp Co	Comments	Error Definition	rs rs
4 8 5	185		elastic near elastomeric	D . H	2001/03/28 14:46			0
168	168		Ll and spring	7 · · ·	2001/03/28 14:54			0
L3 124	124	24452	elastomeric with elastomeric	D <u>.</u> . ⊟	2001/03/28 14:55			
1.4	96		elastomeric near elastomeric	D . H	2001/03/28 15:18			0
L5 124	124	124356	(elastomeric with elastomeric) not L4	- r	2001/03/28 15:18			0
T6 300	30(30663	L5 and spring	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/03/28 15:19			0
L7 989	86	თ	16 AND (SPRING ADJ ELEMENT)	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/03/28 15:21			0
L8 102	10	75	(elast\$ near cavity) and spring	USPAT; US-PGPU B; EPO; JPO; DERWENT ; IBM TDB	2001/03/28		Truncation Overflow. Return string from Server is: 5.0.0'ELA	-1

12

11

10

9

13

14

15

03/28/2001, EAST Version: 1.02.0008

17

16